How to use Image Service URLs in ArcPro

- 1. Select a LF 200 Image Service URL from https://lfps.usgs.gov/arcgis/rest/services/Landfire_LF200
 - a. Right click on any of the URLs to Copy Link
- 2. Start ArcGIS Pro (ArcPro)
- 3. Start a "Map"
- 4. Click on Add Data (plus sign)



5. Select Data From Path



6. Copy the Image Service URL link from Step 1 into the "Path" text box

| Add Data From Path | | | | | | | | | |
|--|--------|--|--|--|--|--|--|--|--|
| d data using a path for a service URL, portal item, data file, or catalog path. | | | | | | | | | |
| Path | | | | | | | | | |
| https://lfps.usgs.gov/arcgis/rest/services/Landfire_LF200/AK_200CBD_20/ImageServer | | | | | | | | | |
| Service type | | | | | | | | | |
| An ArcGIS Server Web Service | | | | | | | | | |
| > Custom request parameters 1 | | | | | | | | | |
| Learn more about adding data from paths Add | Cancel | | | | | | | | |
| | | | | | | | | | |

Current Version: 10.61 View Footprints In: ArcGIS Online Map Viewer Services: Landfire_LF200/AK_200CBD_20 (ImageServer) Landfire_LF200/AK_2000 Open Link in New Tab Landfire LE200/AK 2000 Landfire_LF200/AK_2000 Open Link in New Window Landfire_LF200/AK_2000 Open Link in New Private Window Landfire LF200/AK 200E Landfire_LF200/AK_200E Bookmark Link.. Landfire LF200/AK 200E Landfire_LF200/AK_200F Save Lin<u>k</u> As... Landfire_LF200/AK_200F Save Link to Pocket Landfire LF200/AK 200F Landfire LF200/AK 200F Copy Link Landfire_LF200/AK_2008 Landfire LF200/AK 200F Search Google for "Landfire LF200/..." Landfire LF200/AK 200M Inspect Accessibility Properties Landfire_LF200/AK_DIST Landfire_LF200/AK_DIST Inspect (Q) Landfire_LF200/AK_FDIS Landfire LF200/AK HDIS \infty WAVE this page Landfire_LF200/HI_200B

Folder: Landfire_LF200

- Landfire LF200/HI_200CBD_20 (ImageServer)
 Landfire LF200/HI_200CBH_20 (ImageServer)
- Landfire_LF200/HI_200CBH_20 (ImageServer)
- Landfire_LF200/HI_200CH_20 (ImageServer)

7. Click "Add"

8. There will now be an "Image Service Layer" tab in your ArcPro project.



9. If you want to view the **Symbology**, select the "Appearance" and Symbology icon.



10. If you want to view the attribute table, select the Data tab and then select the "Attribute Table" icon



11. To "Identify" unique values per pixel, **click on the map**, and a pop-up screen will appear to show you the identifying information for that pixel.

| | | | | a de la companya de | | | Pop-up Landfire_LF200/AK_200C LA20_CBD_200 | BD_20 (1) | Symbology - Landfire_LF200 |
|---|-------|--------|-----------|--|-------------|---|--|-----------------------|----------------------------|
| | | | 2 20-** | | | L | andfire_LF200\AK_200 | CBD_20 - LA20_CBD_200 | |
| | | | 170,487.0 | 2W 1,481, | 215.86N m 🚿 | | Service Pixel Value | 5 | |
| | | | | | | L | UniqueValue Pixel Value | 5 | |
| : 🖫 Select By Attributes 🕮 Zoom To 📑 Switch 🗐 Clear 🚍 Del | | | | | | | Count | 206898654 | |
| ne | MinPS | MaxPS | LowPS | HighPS | Category | | KGM3_X_100 | CBD = 05 kg/m^3 X 100 | |
| 0 CBD 200 | 0 | 100032 | 30 | 960 | Primary | Ŀ | KGM3 | CBD = 0.05 kg/m^3 | |
| 0_000_000 | | 100052 | | 500 | | Ł | R | 169 | |
| | | | | | | L | G | 236 | |
| | | | | | | L | В | 225 | |
| | | | | | | | RED | 0.662745 | |
| | | | | | | L | GREEN | 0.92549 | |
| | | | | | | L | BLUE | 0.882353 | |
| | | | | | | L | OBJECTID | 1 | |
| | | | | | | | Name | LA20_CBD_200 | |
| | | | | | _ | | MinPS | 0 | |
| | | | | | | | MaxPS | 100032 | |
| | | | | | _ | 1 | LowPS | 30 | |
| | | | | | | | HighPS | 960 | |
| | | | | | | E | | | |